


2022 Online Catalog




What is Belbien?

Belbien Architectural Finishes are a flexible adhesive backed product that's embossed to not only look, but also feel like the real thing.

These finishes achieve the look and feel of woodgrain, metal, marble, stucco, fabrics, on any smooth nonporous surface.



Multi-Layer Technology



Air exits through specially designed narrow grooves as pressure is applied with the squeegee.




- Keep old substrates out of landfills
- Mitigate deforestation
- non-VOC product



Value Engineering








- Cost Reduction!
- Avoid demolition logistics/costs
- Achieve upscale look & feel of expensive resources
- Minimize downtime and lost revenue to the space
- Lightweight material

Cleanable Material

Resilient nonporous composition ideal for cleanability



Specifications

Belbien is not a wallpaper.

Belbien is your refresh solution for all smooth surfaces in a space. This includes doors, panels, elevators, millwork, and so much more!

• To ensure product warranty, please note in any Belbien spec:

"Material to be purchased through and installed by Interior Design Solutions Belbien Certified Installers | 1.866.953.4662| <u>info@belbienusa.com</u> | <u>www.belbienusa.com</u>. Contact Belbien USA for certified installers".

- FIRE RATING Class A Category 1
- Bleach Cleanable (diluted with water)
- Formaldehyde and chlorpyrifos free. Toluene, xylene, ethyl benzene, and styrene are not used in Belbien production. Non-VOC product.
- USGBC Approved



bebien 2021-2022

Decorative film with pressure sensitive adhesive



Interior Design Solutions
Exclusive Distributor North America
www.belbienusa.com
info@belbienusa.com
1.866.953.4662

To ensure product warranty, please note in any Belbien spec "Material to be purchased through and installed by Interior Design Solutions Belbien Certified Installers 1.866.953.4662| info@belbienusa.com | www.belbienusa.com. Contact Belbien USA for certified installers".

Contents

- 1 ABOUT WOOD SERIES
- 02 WOOD REGULAR
- 06 SUPER REAL WOOD / WOOD
- 16 HIGH PERFORMANCE DECORATIVE FILM FOR INTERIOR AND EXTERIOR FINISHES BELBIEN EX
- 20 TEXTURED SINGLE-COLOR BELBIEN + TEX
- 24 BASIC COLOR
- 25 BELBIEN WHITEBOARD SHEET
- 26 METAL
- 30 ABSTRACT
- 32 ABSTRACT / STONE / SAND
- 34 FABRIC / LEATHER
- 35 NUMBER INDEX
- 38 INFORMATION

Technical data and application examples

Technical data and application examples have been uploaded to our website. Access/search for them with the QR code or URL provided below.



Technical data

https://www.belbien.net/english/catalog/index.html

How to check specifications




- ①Code
- ②Name
- ③Horizontal Repeat
- **4** Vertical Repeat
- ⑤Transfer Pattern
- **©**Function Icon
- **®Wood Grain**
- B : Burl Grain
- C : Cathedral Grain S : Straight Grain
- SC : Straight / Cathedral Grain



Wood Grain patterned belbien to choose from



Easy to choose thanks to large number of carefully selected wood types and gradation development.




- · The same wood grain patterns are arranged by gradation.
- $\boldsymbol{\cdot}$ Easy to change colors after you've selected them.
- · Nude Matte with natural wood texture and reduced gloss.





Extremely realistic.

- As close as you can get to the texture of real wood.
- Creates a powerful impression that never gets dull even in large spaces.



Wood "Series"

Wide variety of designs.

- Vast selection ranging from classic to uniquely original and large patterns.
- · An easy-to-use lineup at a reasonable price range.









WR-4160

Choose wood grain in a quick and easy way.

Individual Feature



Product Specifications

Effective product width 1,220mm

Product length

online technical data from the URL on the front page of this booklet.

[When choosing:]

Quickly find what you're looking for with tree type & color chart!

[When color-matching on-site:] Easily match actual colors!

[When changing your selection:] Stick to the same pattern and simply change the color!



WR-3000 White Fabric Wood 44





WR-3005 Cream Fabric Wood 44

NEW



WR-3010 Vanille Fabric Wood



WR-3020 Beige Fabric wood 44



44 NEW

WR-3030 Camel Fabric Wood



WR-3050 Light Gray Fabric Wood

44 NEW



WR-3060 Light Taupe Fabric Wood

44 NEW



WR-3070 Sepia Fabric Wood

NEW



WR-3080 Dark Brown Fabric Wood

44 NEW



WR-3085 Gray Fabric Wood 44 NEW




WR-3090 Charcoal Fabric Wood

44 NEW

WALNUT / S Repeat: W210 H795 1/2step

WALNUT / SC Repeat: W580 H960 1/2step





belbien WR

OAK / SC

WR-2100 Neve Oak

44

Repeat: W580 H960 1/2step









44





44

















	WR-2075 Casper Oak	
	♦ ♦	
<u> </u>	WR-2080	BLANES MEDICAL PROPERTY OF STREET, SEASON SERVED AND STREET, SERVED AN




Individual Feature Water Resistance	10	WR-2080 Permana Oa
Product Specifications	11	WR-2090 Dark Oa





			· ·			
	11				121	





Before using the product, check the online technical data from the URL on the front page of this booklet.

Effective product width 1,220mm







44

NEW


NEW







NEW



Individual Feature



♦ Water Resistance



Same design Check the index at the end of this booklet.



Precautions in installation

Patterns will not be matched in the joint part due to large design included.

Product Specifications

Effective product width 1,220mm

Product length

Before using the product, check the online technical data from the URL on the front page of this booklet.

SUPER REAL WOOD







Repeat: W480 H970 1/2step

SW-121 White Bubinga Repeat: W560 H970 1/2step

Shiratsuchi Gaki Repeat : W590 H970 1/2step



Nordic White Ash Repeat: H975







SW-153 Jindai-Hinoki Rain Repeat : W630 H945 1/2step

SW-157

SW-131 Shabby Chic Elm Repeat: W485 H975 1/2step

SW-133

Repeat: W485 H975 1/2step

SW-129 Grunge Chic Elm Repeat : W485 H975 1/2step

SW-127

Grayish Elm

SW-154 Jindai-Sen Moon Repeat : W270 H970 1/2step

WOOD









Porta Pine Repeat: H1365





White Paulownia Repeat: W340 H960 1/2step 5 W-807 44 Earnest Oak


Repeat: W525 H970 1/2step

WB-403

Siberian Oak







W-663 Calando Maple Repeat: W940 H1310 1/2step



W-626

Fog Larch

Greige Dark Elm

В

Repeat : W970 H1290 1/2step





W-627 Repeat: W530 H940 1/2step



Grunge Chic Drape Repeat: W630 H945 1/2step

4 (1)

Bigger images available **Product Specifications** To web page

SUPER REAL WOOD



SW-76



SW-82 Repeat: W240 H810 1/2step



SW-151 Greige Oak Repeat: H960



SW-159 Tornio Ash Repeat: H975



SW-155 Donau Oak Repeat: H970



SW-125 Ivory Oak Repeat: W375 H810 box



SW-126 Repeat : W575 H1085 1/2step



WOOD



WB-401 Canard Oak Repeat: W430 H970 1/2step

4



W-216 44 🖫 Line Walnut Repeat: W600 H970 1/2step



W-650 Rowdy Oak Greige Repeat: W700 H1300 1/2step



W-719 Missouri Gray Repeat: W430 H970 1/2step



WA-256 Fresh Anigre Repeat: W525 H1325 1/2step



W-200 White Oak Repeat: W525 H970 1/2step



W-664 Marcato Maple Repeat: W940 H1310 1/2step

W-723



Lapin Oak Repeat: W430 H970 1/2step

44

SC

SC

Individual Feature

Water Resistance





Patterns will not be matched in the joint part due to large design included.

Product Specifications

Effective product width 1,220mm

Product length 50m

Before using the product, check the online technical data from the URL of this booklet.



W-639 Pale Maple Repeat: W500 H965 1/2step



W-390 Repeat: W470 H985 1/2step



W-637 Repeat: W575 H950 1/2step



Rowdy Oak Light Repeat: W700 H1300 1/2step



W-634 44 🖺 Pale Walnut SC Repeat: W580 H960 1/2step



W-643 Repeat: W480 H970 1/2step



W-731 Light Greige Oak Repeat: H960



W-717 Cinnamon Ash Repeat: W300 H810 box



Repeat : W580 H960 1/2step

W-732

Repeat: H960

Natural Light Oak

SC







SW-64 Irene Oak Repeat : W575 H1085 1/2step



SW-160 Nordic Greige Ash Repeat: H975



SW-130 Dull Chic Elm Repeat : W485 H975 1/2step



SW-171 NEW Naked Walnut Repeat : W210 H790 1/2step



SW-172 NEW Naked Walnut Repeat: W585 H970 1/2step

SW-147 Naked Italian Walnut Repeat: W585 H960 1/2step





₩ 📠

44

W-617 Naked Italian Walnut Repeat: W210 H760 1/2step



W-622 **♦♦ □** ① Italian Walnut Repeat: W400 H385 1/2step



W-618 ₩ 🖺 Naked American Walnut Repeat: W210 H760 1/2step



W-623 **♦ (1)** American Walnut Repeat: W400 H385 1/2step



W-307 Naked Italian Walnut Repeat: W580 H960 1/2step



W-660 Rowdy Walnut Italian Repeat: H1330 SC



W-308 Naked American Walnut SC Repeat: W580 H960 1/2step



Rowdy Walnut American SC Repeat: H1330



W-802 44 Repeat: W580 H960 1/2step



W-808 44 Sincere Oak Repeat: H940



Pepper Oak Repeat: H950



Repeat: W630 H945 1/2step



W-644 W-641 Zingana Mocha



W-640 Grey Striped Wood Repeat: W575 H970 1/2step



W-686 NEW Courtyard Dark Birch Repeat: W415 H1035 1/2step

W-658

В



Repeat: W630 H945 1/2step



44 Smoke Striped Wood Repeat : W575 H970 1/2step

4

5

6

W-656 Rastic Oak Greige Repeat: H1290

Α



SUPER REAL WOOD



SW-152 Repeat: W635 H945 1/2step



SW-113 Repeat: W270 H970 1/2step




SW-70 Petit Elm Repeat: W460 H970 1/2step



Yoshino Sugi



SW-150 Naked Oak Repeat: H960



SW-141 Repeat : W270 H970 1/2step



SW-124 Naked Oak Repeat: W575 H1085 1/2step



SW-140 Real Oak Repeat: W415 H970 1/2step



SW-72 Beige Sycamore Repeat : W620 H970 1/2step



SW-128 Repeat : W485 H975 1/2step



SW-54 Viera Oak Repeat: W575 H1085 1/2step



SW-55 Repeat: W575 H1085 1/2step

WOOD



W-685 NEW Courtyard Light Birch Repeat: W415 H1035 1/2step



W-714 Light Ash Repeat: W300 H810 box



W-213 Cremona Sycamore Repeat: W590 H970 1/2step



W-638 44 Plain Maple Repeat: W500 H965 1/2step

Individual Feature

Water Resistance





Patterns will not be matched in the joint part due to large design included.

Product Specifications

Effective product width 1,220mm

Product length

Before using the product, check the online technical data from the URL of this booklet.



W-665 Largo Maple Repeat: W970 H1310 1/2step



W-629 Naked Oak Repeat: H950



44 W-681 Jingu Sugi Repeat: W610 H1180 1/2step



Repeat: W525 H1325 1/2step



W-720 Repeat : W430 H970 1/2step



W-657 Repeat: W970 H1290 1/2step



W-715 Repeat: W300 H810 box



Repeat : W340 H990 1/2step




W-721 Repeat: W430 H970 1/2step



WA-380 Repeat: W480 H980 1/2step





Bigger images available **Product Specifications** To web page



SUPER REAL WOOD



SW-170 NEW Repeat: W240 H810 1/2step



SW-163 NEW Repeat: W240 H810 1/2step



SW-164 NEW Repeat : W240 H810 1/2step

SW-101

Grand Walnut



SW-169 NEW Repeat : W585 H970 1/2step



SW-16 Wave Mahogany Repeat: W580 H970 1/2step Repeat : W685 H810 1/2step



SW-46 Marée Walnut Repeat : W210 H790 1/2step

3



Marée Walnut Repeat : W410 H970 1/2step



SW-91 Moderate Teak Repeat: W580 H970 1/2step



Repeat: W405 H785 box

SW-167 NEW



W-654 Cinnamon Dao Repeat: W450 H1300 1/2step



W-631 Cinnamon Oak Repeat: H950



W-648 Medium Walnut Repeat: W210 H760 1/2step



W-624 ***** ① Medium Walnut Repeat: W400 H385 1/2step

Individual Feature

Water Resistance

5

Same design Check the index at the end of this booklet.

Patterns will not be matched in the joint part due to large design included.

Product Specifications

Effective product width 1,220mm

Product length

Before using the product, check the online technical data from the URL on the front page of this booklet.



W-244 Repeat: W400 H970 box



W-670 Hérisson Oak Natural Repeat : H1290



WB-404 Repeat: W525 H970 1/2step



WA-381 Repeat : W480 H980 1/2step



W-655 Rastic Oak Natural Repeat: H1290



W-683 Repeat : W400 H1170 1/2step





W-668 Repeat: H1345



W-662 44 Rowdy Walnut Smoke SC Repeat: H1330







_





SW-173 NEW Dors Walnut Repeat : W210 H790 1/2step

1

2



SW-174 NEW Repeat : W585 H970 1/2step



SW-102 Dandy Walnut Repeat : W580 H970 1/2step



SW-175 NEW Wenge Repeat: W405 H970 1/2step




SW-19 Valois Walnut Repeat : W210 H790 1/2step



SW-99 Valois Walnut Repeat: W395 H390 1/2step



SW-24 Valois Walnut Repeat : W410 H970 1/2step




SW-116 Dark Mahogany Repeat: W570 H970 1/2step



SW-156 Donau Oak Soir Repeat: H970



SW-84 Repeat : W240 H810 1/2step



SW-137 Bitter Elm Repeat : W485 H975 1/2step



SW-143 Henri Walnut Repeat: W585 H960 1/2step

WOOD



W-620 Évreux Walnut Repeat: W210 H760 1/2step



4**6** 🛅 🛈 W-625 Évreux Walnut Repeat: W400 H385 1/2step



Valois Walnut Repeat: W210 H760 1/2step



W-358 Queen's Walnut Repeat: W410 H980 1/2step

Individual Feature

Water Resistance

5



Patterns will not be matched in the joint part due to large design included.

Product Specifications

Effective product width 1,220mm

Product length

Before using the product, check the online technical data from the URL on the front page of this booklet.



WA-382 Dark Umber Oak Repeat: W480 H980 1/2step

Kumano Sugi Repeat : W610 H1180 1/2step

W-682





W-245 Repeat: W400 H970 box



W-800 Grunge Strata Repeat : H930




W-632 Repeat: W630 H945 1/2step

44

44



W-393 Memphis Cherry Repeat: W330 H1325 1/2step



W-810 Steady Walnut Repeat: W210 H960 1/2step




44

W-394 Tennessee Cherry Repeat: W330 H1325 1/2step









| A | B | C | D

44


W-303

Black Oak Repeat : W535 H810 box

W-726

Charcoal Bamboo Repeat: W630 H970 1/2step

bebien EX since 1986



Ideal for harsh environments like exteriors. Multi-functional all-rounder product.


- History of use and experience exceeding 30 years
- ◆ Stable and long-lasting functions
- ◆ Product can withstand a variety of usage environments
- ◆ Improved workability in application

Exterior wall, eaves, siding
Signboards Elevator car walls and doors
Suitable for wet areas and smoking rooms



belbien EX properties: Improved functionality in addition to the basic functions of belbien
















EW-1300



* 14


EW-1707 ፠ ル ┗ Beat Oak Repeat : W395 H980 1/2step




EW-1708













EW-1209



፠ ルム 🖫 EW-1301 Naked Italian Walnut



EW-1213



፠ ルム 🖫



EW-1208



Viera Oak Repeat: W585 H950 1/2step






☀ • • • EW-1305 ∰ 44 Bagan Teak Repeat: W245 H780 1/2step




EW-1202 Fair Wood Repeat : W350 H970 1/2step



EW-1212 Sedona Cherry Repeat : W575 H925 1/2step




EW-1201 **₩** •• Regal Oak Repeat : W415 H970 1/2step



፠ ルム 🖆 Karon Teak Repeat : W245 H780 1/2step




EW-1304





Bitter Elm S Repeat : W485 H950 1/2step



₩ 44 Black Dao S Repeat: W520 H1310 1/2step

belbien EX Feature





Chemical Resistance



Water Resistance

Individual Feature





Precautions in installation Patterns will not be matched in the joint part due to large design included.

Product Specifications

Effective product width 1,220mm

Product length


Before using the product, check the online technical data from the URL on the front page of this booklet.

High performance decorative film for interior and exterior finishes

since 1986

ॐ: ▲▲





EA-6100



ES-5229

፠ ルム 🖫




EA-6110

₩ 👪



ES-5600



ES-5712



ES-5200 Irish Clay Repeat : W170 H220 1/2step




ES-5202 Mist Clay Repeat : W170 H220 1/2step




ES-5523 Alt Marble Gray



ES-5522



ES-5525



ES-5524 Malta Dark Beige



ES-5221 Arenite Vellum



ES-5222 Granite Vellum

∰ 44




ES-5223 Marlite Vellum




ES-5224 ∰ 44 Chromite Vellum



Salt damage Resistance



ES-5225 Cinnabar Vellum Repeat: W440 H675 1/2step



☀ ₩ ES-5226 Covelline Vellum Repeat : W440 H675 1/2step



☀ 46 ES-5103 **₩ 44** Silver Stony Repeat : W295 H645 1/2step

Individual Feature

Water Resistance

belbien EX Feature

Scratch
Resistance






Product Specifications

Effective product width 1,220mm

Product length 50m

The value to the right of the product name is the Munsell value

product, check the online technical data from the URL on the front page of this booklet.



EF-1004 NEW ፠ 44



EF-1003 NEW



EF-1001 Earthy Linen Repeat: W490 H330 box




₩ 44 ⋤ EF-1002



☀ ⁴ EC-300

0.6G 1.9/2.8 Deep Blue

NEW




EC-110

EC-090 **፠ 4**

₩ 44

NEW

belbien + TEX



If regular single-color sheets are not expressive enough for you ...the answer is "belbien +TEX"

belbien's new basic (single color) finely embossed series. The intricate shading of the interwoven fabric infuses spaces with coloring and expressiveness to that are enhanced by the single color.

belbien+TEX





TX-030





TX-020





TX-010

Precious White Nubuck





GC-010

Precious White Clear

Individual Feature





Patterns will not be matched in the joint part due to large design included.



Keep in mind when checking color:
(GC-CLEAR)

(GC-CLEAR)
When checking the color of the product, remove the protective film on the surface.

'The tips on the right had not been present from the beginning.

Product Specifications

Effective product width 1,220mm

Product length

The value to the bottom of the product name is the Munsell value.

Before using the product, check the online technical data from the URL on the front page of this booklet.





Precious White Tissu 9.5GY 9.3/0.1



DEW



TX-050

Precious White Cœur 9.5GY 9.3/0.1



TX-100

TX-035



♦ (





TX-032



TX-033



TX-034
















be White Nubuck

be White Clear

























TX-053

44



TX-054



TX-051 44 Warm White Cœur 7.3Y 9.4/0.3



TX-052


Misty White Cœur 4.0GY 9.2/0.3





TX-101 44







А С С Д







TX-070 Silver Gray Maze 0.7GY 7.2/0.4



TX-071 Off-Black Maze



TX-072 Black Maze



TX-083 Sensive Gray Woody 7.6Y 6.3/0.3



TX-084 Charcoal Gray Woody 0.2PB 2.1/0.5

44


44



TX-085 Carbon Black Woody 9.2PB 0.9/0.2



TX-043 Sensive Gray Slender 7.6Y 6.3/0.3



TX-044 Off-Black Slender 0.6Y 2.45/0.3



TX-045 Carbon Black Slender 9.2PB 0.9/0.2



TX-093



TX-094





BASIC COLOR





Feature

Product

Effective

belbien WHITE BOARD SHEET






Enhance conference rooms with writing and projection



Image projected on Belbien BWH-101




Notice

Application of the product should be made on the metal substrate to demonstrate product performance. Use of a ceiling-mount single focus projector is recommended due to light source reflection when projecting images.

Before using the product, check the online technical data from the URL on the front page of this booklet.

METAL



Product length

Product Specifications

Effective product width 1,220mm

Individual Feature Water Resistance

Before using the product, check the online technical data from the URL on the front page of this booklet.

26



A



FM-45 Cheval D'or Repeat: W65 H130 1/2step








2

BR-296

METAL



Product Specifications

Precautions in installation

Individual Feature

Effective product width 1,220mm

Product length

Before using the product, check the online technical data from the URL on the front page of this booklet.




CM-126 Repeat: W550 H760 1/2step



DA-75 Repeat : W510 H330 1/2step



DA-54 Repeat: W345 H670 1/2step



DA-53 Repeat: W345 H670 1/2step

28

В



CM-122 Confiance

Chevalier

Repeat: H635

CM-66



CM-131



CM-121

Repeat: W630 H640 1/2step

CM-142 Orlando Repeat: H640

3

CM-57

CM-58

CM-55 Ubatama Repeat: H765

CM-53 Shirotae Repeat: H765

Ima Tanyu Repeat : H645

Officier

Repeat: H635

lma Korin Repeat : H645

METAL WOOD




BR-544 Metal Tide Bronze Repeat: H985







BR-543 Metal Tide Silver Repeat : W585 H790 1/2step




CM-136 Silver Fox Oak Repeat: H910



CM-132 Luce Drape Light Repeat : W650 H910 1/2step





CM-51 Repeat : W310 H640 1/2step

CM-82

CM-52 Repeat : W310 H640 1/2step

D

CM-141 Repeat: W310 H640 1/2step

В

(I)

ABSTRACT





DA-83
SHIJIMA


DA-84
YU-GEN











DA-47

SIRAHIME







Water
Resistance
Same design
Check the index at the end of this booklet.

DA-66
IZANAMI









Product Specifications

Precautions in installation

Patterns will not be matched in the joint part due to large design included.

Individual Feature

Effective product width 1,220mm

Product length

Before using the product, check the online technical data from the URL on the front page of this booklet.

Haily White Repeat: W460 H335 box



DA-62

Haily Cleam Repeat: W460 H335 box

DA-41

DA-76 Haily Charcoal Repeat: W460 H335 box

DA-35

DA-62 Haily Graphite Repeat: W450 H660 1/2step

В

Haily Snow Repeat: W460 H335 box

DA-36 Haily Black Repeat: W460 H335 box


DA - 41 Black Dripping Repeat: W340 H675 1/2step


White Dripping Repeat: W340 H675 1/2step

30

C







ABSTRACT / STONE / SAND



Individual Feature



Product Specifications

Effective product width 1,220mm

Product length

Before using the product, check the online technical data from the URL on the front page of this booklet.



DA-63 Frore Cascade Repeat: W505 H335 1/2step



Averse Cascade Repeat: W505 H335 1/2step



DA-64 Nocturne Cascade Repeat: W505 H335 1/2step



DA-89 Repeat: W440 H670 1/2step



DA-72 Frore Chanvre Repeat: W440 H670 1/2step



DA-71 Nocturne Chanvre Repeat : W440 H670 1/2step



В

DA-88





Individual

Same design

When bended sharply, please use dryer and warm up

Product Specifications

Before using the product, check the online technical data from the URL on the front page of this booklet.

K-214

Bordeaux Calf

Repeat: W380 H605 1/2step

K-203


В

Bitter Morocco

Repeat: W215 H200 box

Effective product width 1,220mm

FABRIC / LEATHER



K-201

Black Morocco

Repeat: W215 H200 box

K-206

Black Calf



NUMBER INDEX

Code	P-C-R	Same design	Code	P-C-R	Same design	Code	P-C-R	Same design	Code	P-C-F	R Same d	lesign
٨			C-605	31-C-2	**	DA-47	30-A-2		EM-4223	19-C-2		* **
Α			C-659	31-B-2	**	DA-48	30-B-2		EM-4224	19-A-3	N	EW 🌞 🔥
A-723	31-D-2	44	CM			DA-49	30-B-5		EM-4225	19-B-3	N	EW 🌼 🔥
A-731	28-D-4	••	CIVI			DA-50	32-B-1		EM-4226	19-B-1	N	EW 🏶 🔥
A-824	31-D-1	••		29-C-8		DA-52	28-D-7 E	EM-4215	EM-4227			EW 🌼 🔥
A-830	31-A-3	••		29-D-8		DA-53	28-D-8		EM-4228		N	EW 🌼 🔥
A-832	31-C-3	••		29-A-3		DA-54	28-C-7		ES-5103	18-C-5		* **
A-833	33-B-8	**		29-D-3 29-B-3		DA-57	34-B-2		ES-5200	18-C-2		* **
A-844 A-846	31-A-1 31-B-3	••		29-B-3 29-C-3		DA-58 DA-61	34-D-4 34-A-2		ES-5202 ES-5221	18-D-2 18-A-4		* **
A-847	31-B-3	••		29 - C-3		DA-62	30-B-6		ES-5221	18-B-4		* **
A-848	31-C-1	•		26-A-4		DA-63	32-A-7		ES-5223	18-C-4		* **
A-851	33-C-8	•		26-D-4		DA-64	32-B-8		ES-5224	18-D-4		* **
_		-	CM-63	26-C-4		DA-65	33-B-1		ES-5225	18-A-5		* **
BC			CM-64	26-B-2		DA-66	30-A-3		ES-5226	18-B-5		* **
BC-037	24-C-7	**	CM-65	28-A-1		DA-67	30-B-4		ES-5229	18-B-1		* **
BC-039	24-D-7	**	CM-66	29-C-1		DA-68	30-B-3		ES-5522	18-B-3		* 44
BC-040	24-C-2	44	CM-82	29 - C-7		DA-69	30-C-3		ES-5523	18-A-3		* **
BC-042	24-C-5	**	CM-83	29 - D-7		DA-70	30-D-3		ES-5524	18-D-3		. ♦ ♦
BC-043	24-C-6	••	CM-120	30-D-2		DA-71	32-D-8		ES-5525	18-C-3		* **
BC-045	24-D-6	**	CM-121	29-C-2		DA-72	32 - D-7		ES-5600	18-A-2		* **
BC-046	24-B-7	••		29-B-1		DA-73	32-A-5		ES-5712	18-B-2		* **
BC-061	24-B-3	••		28-A-3		DA-74	32-B-6		EW-1201			* **
BC-9A	24-E-2	••		28-C-4		DA-75	28-B-7		EW-1202		0111 = 1	* **
BC-124	24-A-7	••		29-B-2		DA-76	30-A-6		EW-1207			* **
BC-129	24-E-7	••		28-A-7		DA-77	30-C-2		EW-1208			* **
BC-132 BC-2131	24-D-5	**		28-C-3		DA-78	32-C-1		EW-1209			* **
BC-2131	24-B-5 24-D-2	••		28-B-4 26-B-3		DA-79 DA-80	32-B-2 34-C-4		EW-1210 EW-1211			* **
BC-1A BC-2B	24-D-2 24-A-6			28-A-4		DA-81	34-C-4 34-B-4		EW-1211		3VV-137	* **
BC-3B	24-B-6	••		29-A-1		DA-82	33-C-1		EW-1213		W-622	* **
BC-4B	24-A-8	••		29-A-7		DA-83	30-A-1		EW-1214			* **
BC-5B	24-B-8	44		28-B-1		DA-84	30-C-1		EW-1215			* **
BC-7B	24-C-8	44		26-C-3		DA-86	32-B-7		EW-1216			* **
BC-8B	24-D-3	• •	CM-135	28-B-3		DA-88	32-C-7		EW-1300	17-A-1	W-216	* **
DD			CM-136	29-C-5		DA-89	32-C-8		EW-1301	17-B-3	W-617	* **
BR			CM-137	29-D-5		DA-90	32-C-3		EW-1302	17-D-3	BWH-102	* **
BR-242	27 - A-6	••	CM-140	28-C-1		DA-91	32-D-3				W-618	
BR-291	27 - A-4	**	CM-141	29 - A-8		DA-92	31 - A-2		EW-1303	17-C-4	W - 648	* **
BR-292	27-A-5	••		29-D-1		Е			EW-1304		W-620	* **
BR-296	27 - A-7	••	. (:()						EW-1305			* **
BR-381	27-B-1	••		00 D 5			18-A-1 [SW-163 E	
BR-382	27-C-1	••		26-B-5	**	EA-6110	18-C-1	NEW ∰ ♦♦	EW-1707			* **
BR-391 BR-392	26-B-1 26-C-1	••		26-C-5	**	EC-001 EC-010	19-A-5 19-B-5	NEW ∯ ÅÅ	EW-1708			* **
BR-392	26-D-1	**		26-A-5 26-C-6	••	EC-010	19-B-5	N=W	EW-1805	17-D-0		₩. •
BR-398	27-C-3			26-B-6	**	EC-050	19-O-5	NEW ∰ ↓↓	F			
BR-540	28-D-3	•		26-A-6	44	EC-070	19-D-6	* **	F-408	27-D-1		**
BR-541	26-D-3	44		26-D-5	**	EC-090	19-A-7	* **	F-409	27-A-1		44
BR-542	28-D-1	44	\circ			EC-110	19-A-6	* **	F-468	33-D-1		44
BR-543	29-A-6	• •	CY			EC-200	19-B-6	NEW ∰ ♦♦	F-469	34-C-1		44
BR-544	29-A-5	44	CY-100	27 - A-2	**	EC-300	19-C-6	NEW 🌼 ♦Å	F-470	34-B-1		44
BR-545	29-B-5	••	CY-104	27-B-6	44	EF-1001	18-C-6	* 4	F-472	33-C-2		44
BR-551	28-A-5	NEW A		27 - C-6	**		18-D-6 F		F-473	34-B-3		44
BR-552	28-C-5	NEW A		27-A-3	44		18-B-6	NEW 🌼 🔥	F-475		EF-1002	44
BR-553	28-B-5	NEW 6		27-D-6	**	EF-1004		NEW 🔅 🔥	F-476	33-A-1		**
BR-554	28-D-5	NEW A	· 1)Δ				19-C-4 [F-477	34-C-2		**
BR-600	27-D-4	••		20 1 5	TA 6100	EM-4216		* **	F-478	34-D-2		46
BR-601 BR-602	27-B-5 27-D-5	**		30-A-5 E	=A-0100	EM-4217 EM-4218		* **	F-714 F-715	34-D-5 34-B-5		**
BR-603	27-D-5 27-C-5	••		30-C-5		EM-4219		* **	F-715 F-716	34-B-5		••
BR-604	27-C-3 27-D-3	••		32-A-1		EM-4220		* **	F-717	34-C-3		
_	2. 00		DA-39	30-D-5		EM-4221		* 4	F-718	34-A-1		14
С			DA-41	30-D-6		EM-4222		* 4				

Individual Feature

NEW New Pattern





NUMBER INDEX

Code	P-C-R	Same design	Code	P-C-R	Same desi	gn	Code	P-C-R Same de	esign Code	P-C-R	Same design
F-719	34-A-3	• •	NC-058	24-D-4		**	SW-60	11-A-1	SW-162	15-A-3	
F-723	34-D-3	44	NC-059	24-E-4		44	SW-61	11-B-1	SW-163		EW-1306 NEW
F-746	34-A-5	**	NC-2150	24-B-2		44	SW-62	13-A-3	SW-164	12-C-1	NEW
F-2745	34-A-4	**	NC-2151	24-A-5		44	SW-63	13-D-2	SW-165	13-B-2	NEW
FM			PR				SW-64	9-A-1	SW-166		NEW
				0.4.0			SW-65	15-A-2	SW-167		NEW
FM-11 FM-23	26-C-7 26-D-7		PR-142	24-D-10 24-C-9		**	SW-70 SW-72	10-C-1 10-A-3	SW-168 SW-169		NEW
FM-31	26-A-2		PR-156 PR-160	24-O-9 24-D-9		**	SW-72	15-A-1	SW-170		NEW
FM-32	26-C-2		PR-261	24-C-11		44	SW-76	8-A-1	SW-171	9-C-2	NEW
FM-33	26-D-2		PR-262	24-D-11		44	SW-77	15-B-1	SW-172		NEW
FM-34	26-A-3		PR-263	24-A-11		44	SW-79	13-D-1	SW-173	14-A-1	NEW
FM-38	27-B-2		PR-265	24-B-9		44	SW-80	11-A-2	SW-174	14-B-1	NEW
FM-39	27 - B-4		PR-273	24-B-10		44	SW-81	13-B-1	SW-175	14-D-1	NEW
FM-40	27-C-2		PR-276	24-A-9		44	SW-82	8-B-1	SW-176	15-D-1	NEW
FM-41	27-C-4		PR-282	24-C-10		**	SW-84	14-B-3	TX		
FM-42	27-D-2		PR-287	24-A-10 24-B-11		**	SW-89	15-C-2		00 4 9	
FM-44 FM-45	26-B-7 26-B-8		PR-291	24-D-11		••	SW-91 SW-93	12-B-3 11-B-2	TX-010 TX-011	22-A-3 22-B-3	**
FM-46	26-A-7		S				SW-98	11-D-2 11-C-3	TX-011	22-D-3 22-C-3	••
FM-47	27-B-3		S-500	33-B-6		44	SW-99	14-B-2	TX-012	22-D-3	**
			S-519	33-A-6		44	SW-100	13-A-1	TX-014	22-E-3	46
GC			S-526	33-C-6		44	SW-101	12-C-2	TX-015	22-F-3	**
GC-010	22 - A-4		S-550	33-A-5		44	SW-102	14-C-1	TX-016	23-A-3	46
GC-011	22-B-4		S-560	33-B-7		44	SW-104	13-B-3	TX-017	23-B-3	44
GC-012	22-C-4		S-571	33-A-8		44	SW-110	15-C-3	TX-018	23-C-3	46
GC-013	22-D-4		S-573	33-A-3		44	SW-112	15-C-1	TX-019	23-D-3	**
GC-014	22-E-4		S-574	33-B-3		**	SW-113	10-B-1	TX-020	22-A-2	46
GC-015	22-F-4		S-575	33-C-3		44	SW-116	14-D-2	TX-021	22-B-2	**
GC-016 GC-017	23-A-4 23-B-4		S-576 S-600	33-D-3 32-A-3		**	SW-121 SW-122	7-C-1 15-D-3	TX-022 TX-023	22-C-2 22-D-2	**
GC-018	23-C-4		S-601	32-B-3		44	SW-124	10-C-2	TX-024	22-E-2	
GC-019	23-D-4		S-602	33-B-5		44	SW-125	8-A-2	TX-025	22-F-2	46
1/			S-603	33-C-5		44	SW-126	8-B-2	TX-026	23-A-2	44
K			S-650	32-D-1		44	SW-127	7 - C-2	TX-027	23-B-2	46
K-200	34 - A - 7	**	S-651	32-D-2		44	SW-128	10-B-3	TX-028	23-C-2	46
K-201	34-C-8	**	S-652	32-B-5		44	SW-129	7-C-3	TX-029	23-D-2	
K-202	34-B-7	**	S-653	32-C-5		**		9-C-1 EW-1210	TX-030	22-A-1	**
K-203	34-B-8 34-D-8	**	S-654 S-655	32-D-5 32-D-6		**	SW-131 SW-133	7-B-3 7-B-2	TX-031	22-B-1	**
K-206 K-214	34-A-8	•	S-656	33-C-7	NEW	44	SW-133	7-A-1 BWH-101	TX-032 TX-033	22-C-1 22-D-1	
K-216	34-D-7	**	S-657	33-D-6	NEW	44		7-B-1	TX-034	22-E-1	
K-257	34-C-7	44	S-658	33-D-7	NEW	44	SW-136	15-D-2	TX-035	22-F-1	46
K-274	34-D-6	44	S-659	33-D-8	NEW	44	SW-137	14-C-3 EW-1211	TX-036	23-A-1	44
K-275	34-B-6	**	S-752	33-A-7		44	SW-138	15-B-2	TX-037	23-B-1	46
K-276	34-A-6	44	SW				SW-140	10-D-2	TX-038	23-C-1	46
K-277	34-C-6	**		10.5				10-B-2 EW-1208	TX-039	23-D-1	**
MA			SW-16	12-D-2				14-D-3	TX-040	23-B-6	**
MA-700	26-A-1		SW-18 SW-19	11-C-2 14-A-2			SW-145 SW-146	7-D-1 15-B-3	TX-041 TX-042	23-D-6 23-E-6	**
	20 - A-1		SW-19	14-A-2 14-C-2			SW-147		TX-042	23-E-0	
MT			SW-24	13-D-3			SW-147	9-B-2	TX-043	23-G-6	
MT-10	24-A-1		SW-27	11-D-2			SW-150	10-A-2	TX-045	23-H-6	46
MT-11	24-B-1		SW-28	11-C-1			SW-151	8-C-1	TX-050	22-A-6	**
MT-12	24-C-1		SW-43	11-D-1			SW-152	10-A-1	TX-051	22-B-6	**
NC			SW-45	11-B-3			SW-153	7-A-3	TX-052	22-C-6	44
			SW-46	12-A-2			SW-154	7-D-3	TX-053	22-D-6	**
NC-050	24-A-2	**	SW-47	13-A-2			SW-155	8-D-2	TX-054	22-E-6	**
NC-051	24-A-3	**	SW-49	13-C-3	EVA/ 1007		SW-156	14-A-3	TX-055	22-F-6	44
NC-052 NC-053	24-C-3 24-E-3	**	SW-54 SW-55	10-C-3 10-D-3	LVV-12U/		SW-157 SW-158	7-A-2 8-C-2	TX-060 TX-061	22-A-5 22-B-5	**
NC-055	24-E-3	••	SW-56	11-D-3			SW-159	8-D-1	TX-061	22-D-3 22-C-5	••
NC-056	24-A-4	44	SW-57	12-B-2			SW-160		TX-063	22-D-5	**
NC-057	24-C-4	44	SW-59	13-C-1			SW-161		TX-064	22-E-5	44

TX-065	22-F-5		44	W-624	12-D-4		4
TX-070	23-F-4		**	W-625	14-B-4	EW-1214	- 4
TX-071	23-G-4		**	W-626	7-B-6		4
TX-072	23-H-4		44	W-627	7-A-7		-
TX-080	23-B-5		44	W-628	7-B-5		-4
TX-081	23-D-5		**	W-629	10-B-5		4
TX-082	23-E-5		**	W-630	9-C-5		-
TX-083	23-F-5		**	W-631	12-B-4		_ (
TX-084	23-G-5		**	W-632	14-C-5		-
ΓX-085	23-H-5		44	W-633	9-C-7		-
TX-090	23-B-7		**	W-634	8-D-6	EW-1209	_
ΓX-091	23-D-7		**	W-635	8-D-7		
ΓX-092	23-E-7		44	W-636	11-B-5		_
TX-093	23-F-7		44	W-637	8-B-6		_
ΓX-094	23-G-7		44	W-638	10-D-4		
ΓX-100	22-A-7		44	W-639	8-A-5		
ΓX-101	22-B-7		44	W-640	9-A-6		
ΓX-102	22-C-7		44	W-641	9-D-6		
ΓX-103	22-D-7		44	W-642	13-D-6		
۱۸/				W-643	8-A-7		
W				W-644	9-C-6		
N-200	8-B-4		44	W-646	9-D-5		
N-202	15-C-5		44	W-647	7-C-7		
N-203	11-C-5		44	W-648	12-C-4	EW-1303	
N-205	13-D-4		44	W-650	8-C-3		
N-210	13-A-5		44	W-651	8-C-6		
N-213	10-C-4		44	W-652	8-D-5		
N-216	8-B-3	EW-1300	44	W-653	7-C-5		
N-217	15-D-4		44	W-654	12-A-4		
N-223	15-D-5		44	W-655	12-C-5		
N-224	15-D-6		44	W-656	9-A-7		
N-244	12-A-5		46	W-657	10-B-6		
N-244 N-245				W-658	9-B-6		
	14-B-5						_
N-251	11-B-4			W-659	7-B-7		_
N-255 N-282	11-C-6		**	W-660 W-661	9-B-4		-
	13-B-5		••		9-D-4		
N-303	15-B-7		**	W-662	12-D-6		
N-304	7-C-4		**	W-663	7-A-6		
N-305	7-D-4		**	W-664	8-C-4		
N-306	15-C-4		**	W-665	10-A-5		
N-307	9-A-4		**	W-666	7-D-6		
N-308	9-C-4		**	W-667	13-C-4		
N-316	11-C-4		**	W-668	12-D-5		
N-320	11-D-4		**	W-669	7 - A-4		
N-346	11-B-6		44	W-670	12 - A-6		
N-358	14-D-4		44	W-671	15-B-5		
N-360	11-A-6		44	W-681	10-C-5		
N-364	13-C-6		44	W-682	14-A-6		
N-372	11-A-4		44	W-683	12-C-6		
N-376	13-D-5		44	W-684	15-A-5		
N-378	13-C-5		44	W-685	10-A-4	NEW	
N-385	10-D-6		44	W-686	9-B-7	NEW	
N-390	8-B-5		44	W-714	10-B-4		
N-391	15-B-4		44	W-715	10-C-6		
N-393	14-C-6		44	W-716	7-C-6		
N-394	14-D-6		44	W-717	8-C-7		
N-617	9-A-3	EW-1301	44	W-719	8-D-3		
N-618	9-C-3	EW-1302	44	W-720	10-A-6		-
·		BWH-102		W-721	10-A-7		
N-619	14-C-4		44	W-722	13-A-4		_
N-620	14-A-4	EW-1304	44	W-723	8-C-5		
N-621	7-B-4	EW-1215		W-724	15-C-6		_
· 02 1							_
N-622	9-B-3	EW-1213	44	W-726	15-A-7		

Code	P-C-R	Same	desiç	ın
W-732	8-A-6			44
W-764	11-D-6			44
W-765	13-A-6			44
W-786	11-A-5			44
W-800	14-B-6			44
W-802	9-A-5			44
W-805	15-B-6			44
W-806	15-A-6			44
W-807				14
W-808	7-D-5			
	9-B-5			44
W-809	7-D-7			44
W-810	14-D-5			**
WA				
WA-227	13-B-6			
WA-233	13-B-4			
WA-256	8-A-4			
WA-257	10-D-5			
WA-380	10-B-7			
WA-381	12-B-6			
WA-382	14-A-5			
WA-386	11-D-5			
WB				
WB-400	8-D-4			
WB-401	8-A-3			
WB-403	7-A-5			
WB-404	12-B-5			
WB-405	15-A-4			
WR	10711			
WR-1000	3-A-1		NEW	44
	3-A-2		NEW	44
WR-1020	3-A-3		NEW	44
WR-1040	3-A-4		NEW	44
WR-1045	3-A-5		NEW	44
WR-1050	3-A-6		NEW	44
WR-1055	3-A-7		NEW	44
WR-1060				44
			NEW	-
WR-1070			NEW	44
WR-1080			NEW	44
WR-1085	3-A-11		NEW	44
WR-1090	3-A-12		NEW	44
WR-1100				44
WR-1110				44
WR-1120	3-B-3			44
WR-1140	3-B-4			44
WR-1145	3-B-5			44
WR-1150	3-B-6			44
WR-1155	3-B-7		NEW	44
WR-1160	3-B-8			44
WR-1170	3-B-9			44
WR-1180	3-B-10			44
WR-1185	3-B-11		NEW	44
WR-1190	3-B-12			44
WR-2000	4-A-1		NEW	44
WR-2010			NEW	44
WR-2020			NEW	44
WR-2030	4-A-4		NEW	44
	4-A-4 4-A-5		NEW	44
WR-2040			NEW	**
			NEW	**
WR-2060				
M/D 0070	1 A O			
WR-2070	4-A-8		NEW	44

WR-2075 4-A-9

WR-2080	4-A-10	NEW	44
WR-2090	4-A-11	NEW	
WR-2095	4-A-12	NEW	
WR-2100	4-B-1		44
WR-2110	4-B-2		46
WR-2120	4-B-3		44
WR-2130	4-B-4		
WR-2140	4-B-5		44
WR-2150	4-B-6		44
WR-2160	4-B-7		44
WR-2170	4-B-8		44
WR-2175		NEW	44
	4-B-10		44
WR-2190	4-B-11		44
WR-2195	4-B-12	NEW	46
WR-3000	2-A-1	NEW	44
WR-3005	2-A-2	NEW	16
WR-3010	2-A-3	NEW	
WR-3020	2-A-4	NEW	
WR-3030	2-A-5	NEW	
WR-3040	2-A-6	NEW	
WR-3050	2-A-0	NEW	
WR-3060	2-A-7	NEW	
WR-3070		NEW	
WR-3070		NEW	**
	2-A-10	NEW	**
WR-3085	2-A-11		
WR-3090	2-A-12	NEW	**
WR-4000 WR-4020	5-A-1	NEW	**
	5-A-2	NEW	
WR-4040	5-A-3	NEW	**
WR-4060	5-A-4	NEW	**
WR-4070	5-A-5		
WR-4090	5-A-6	NEW	**
WR-4100	5-B-1	NEW	**
WR-4120	5-B-2	NEW	**
WR-4140	5-B-3	NEW	**
WR-4160	5-B-4	NEW	**
WR-4170	5-B-5	NEW	**
WR-4190	5-B-6	NEW	**
WR-5000	5-B-7	NEW	**
WR-5020	5-B-8	NEW	**
WR-5040	5-B-9	NEW	**
WR-5050	5-B-10	NEW	**
WR-5070	5-B-11	NEW	**
WR-5080	5-B-12	NEW	**
WR-6110	5-A-7	NEW	**
WR-6120	5-A-8	NEW	**
WR-6130	5-A-9	NEW	**
WR-6150	5-A-10	NEW	**
WR-6160	5-A-11	NEW	46
WR-6180	5-A-12	NEW	**

Code P-C-R Same design

The products listed below differ from other belbien products in specification. See "Technical data" from the belbien website for details.

BWH

NEW 6

25-A-2		
25-C-2		
25-D-2		
25-B-2		
25-A-1	SW-134	
25-C-1	EW-1302	
	W-618	
	25-C-2 25-D-2 25-B-2 25-A-1	25-C-2 25-D-2 25-B-2 25-A-1 SW-134 25-C-1 EW-1302

Individual Feature

NEW New Pattern





